# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.

	,				
	V 1				
					780
		•			
					•
	let				
		78			
1.027					
				- 1-6	- 1
					the same of the sa
36.7		Array Standard			
					THE RESERVE OF THE PARTY OF THE

Daniel Ryerson, Box 805, Homestead, Florida.

#### HYBRID BACK BULB CUTTINGS

This is what many of you have told me you've been waiting for -- a new offering of HYBRID BACK BULB CUTTINGS. If you want your share of back bulbs from top quality Late Fall and Winter blooming Hybrids, please do not delay in ordering. There are never sufficient really good back bulbs to keep pace with the demand for them.

More and more Orchid Growers are discovering how simple and economical it is to increase their stocks of fine, blooming size Orchid plants via the back bulb route.

If you have never tried to propagate back bulb cuttings, the enclosed "Let's Talk About Back Bulb Propagation" article should be of help to you.

While every cutting is carefully labelled with the correct hybrid name, it is impractical to compile the same type of listings used for the sale of Mature Plants or Seedlings. The reason is simple: back bulbs are acquired as the mature plants from which they are taken need repotting. Not all plants of any given hybrid will bloom simultaneously, nor will they require repotting simultaneously. Neither do all of them have back bulbs that should be removed. It follows that, among any 500 Hybrid Back Bulb Cuttings, not more than three to five will be hybrids of the same name.

Moreover, it is wise to sell these cuttings practically as rapidly as they accumulate, for they cannot be kept in their unrooted, dormant stage indefinitely. Thus, any listing would need to be changed constantly, as cuttings are sold and replaced by others.

Therefore, while I will do my best to send you a good assortment, the actual selection of your cuttings will have to be left to my judgment.

Each cutting has one or more live eyes; each is tagged with its correct name. All are husky Cattleya, Le, Be or Ble hybrids, and if you follow the enclosed instructions, you should be successful in starting every one of them. Most should bloom in two years. But, as I will have no personal control over your methods of handling the cuttings, I can make no positive guarantee as to how well they will perform for you.

Typical of the Hybrids from which these back bulbs are being cut are such famous names as, Lc George Baldwin, Lc Clint McDade, C. Florence Patterson, C. St. Petersburg, Lc Louella Parsons. How else, for two dollars or less, can you acquire such TOP QUALITY hybrids that will bloom in two years?

Daniel Ryerson, Box 805, Homestead, Fla. Please ship Cuttings (your selection) via Express Parcel Post Air Parcel (If I have checked Express, charges will be collect. Otherwise, I Enclosed is check or money order for \$	9
Name	

Street, City & State

## Transactives are a sear

ිට විසිට සිටියන්නට සහය වෙසින සිටි පුරුද්දේශිනම කොසොට සංස්වාහල යාම සිටියන් කොහැන් වෙකුලේ වීට සිටිනක් සිටියන් සි සිට බට සිටිට සිටියන් සිටිය සිටියන් සිටි සිටිනෙන් සිටියන් සිටියන් සිටියන් සිටි සිටියන් සිටියන් සිටි සිටියන් සිට සිටියන් සහ සිටියන් සිට සිටියන් සිටියන්

ాగు అని జిక్కారు. అందుకుండి అద్దుకు గ్రామింది ముఖు కైద్రంగా అనికి అంటు దూరుకారని కల్పోకారి. ఈ స్పట్లు అద్ద్రి ఇంకు కారు తన్ని కల్పులు కాళా కూడా కార్పుడ్డి ముఖు కారుకుండిని అయిన కూడా కార్పుడుకుండాని.

ann en la 15 la la 15 de la California de l La california de la California de La California de California de la California de California

Herming that is the first considerable of the solution of the

o particular mentral de la composition de la proposition de la termana de la composition de la composition de Han autorità de la composition del composition de la composition de la composition de la composition della composition de la composition de la composition della composition della composition della composition della composition

in a factor of the first of the factor of th

## The state of the s

Alexandra de la composición del composición de la composición de la composición de la composición de la composición del composición de la composición de la

in the contract of the contrac

The second second of the Exemple of the second of the second seco

Typinsk of the typrils trop oblicious buch holds to but the nut the set of th

		Ountel Eyerson, Box 805, homestend, Fla. Plener soin
	tolder his I gave small	(If I have checked Express, charges will be oclided.

"	1	1	1.45	

#### LET'S TALK ABOUT BACK BULB PROPAGATION

Back bulbs with no live roots of their own are of no benefit to the mature plants. Instead, they expect the front bulbs to manufacture food and pass it back to them. Unless "shocked" into doing so - by being cut away from the plant - they seldom bother to grow a new lead from a live "eye". Why should they, while they have the front bulbs to support them?

An "eye" is a small triangular protrusion at the base of a bulb. Live eyes are light green or pinkish green. Dead eyes are black or brown, and withered.

It is advisable to remove an extra bulb, if necessary, in order to have a live eye. For if it is properly propagated, this back portion will grow into a blooming size plant within two years - an effective way of increasing your stock of plants.

HOW TO START BACK BULBS. As a rule, back bulbs should not be potted until they show signs of new growth. They should be placed in a shaded - almost dark - place, where they can be kept moist. If you have many bulbs, line them up in trays of granite chips or spagnum moss. These can be placed under benches of plants that are not receiving the heaviest watering. If the bulbs are buried, or kept soaking wet, they will rot instead of starting new growth. Some growers prefer to string them, upside down, on a wire line above the bench of plants, spraying with water occasionally.

If starting only a few back bulbs, prop them in a large pot with a little crock and loose osmunda in the bottom. Make no attempt to "plant" the bulbs in the osmunda; merely set them in it. Set the pot in shaded place and spray lightly now and then to keep osmunda moist. Believe it or not, before many weeks have passed, the live eyes will be jutting out into new leads.

If - as in the case of sturdy species and primary hybrids - the back bulbs are nice and plump, two or more have leaves, and new eyes are just ready to break into leads, you don't need to set the cuttings aside to root. Go right ahead and pot them up, just as you would the division of a mature plant.

The only difficulty you will encounter is that the lack of roots is apt to make the cutting wobbly and hard to anchor in the osmunda. Wobbliness discourages new root growth. Use one or more "hairpins" of slender but strong staking wire. These bent wire "hairpins" should be about three inches long. Put the loop of the pin over the middle portion of the rhizome and drive the ends down into the osmunda so that the rhizome rests levelly on the surface of the osmunda but is not buried.

In addition, to this "pinning", stake the bulbs with leaves to an upright length of wire, just as you would in the case of a mature plant.

Also, be equally careful not to overwater. At first there are no roots down in the osmunda, so a light spraying of the leaves now and then will be sufficient. After you see signs of new root growth on the surface of the osmunda, gradually increase the watering. An occasional bloom may appear within a year or less from the time the cutting is potted. This first bloom is seldom representative of what the plant will do on its next lead, for it may be premature, lacking the size and texture produced by a larger, stronger plant.

### The state of the second state of the second

in the second se

and the second of the second o

oli media di seria del di seria d Seria del seri

Hor Ed along the Lear Tool of the Short and Short and the Short and the

The second property of the second property of

If we note the ruse of stirry species of size i in the second of the pair i in the second size i in the second of the sec

In addition, to this "panting", such are in the core of the or as core.

Also, be equally coreful not to the case of the case of the case of the benders, so a light eprop or the case of t